



Explore!  
.....The Safety Brand.....

**RYXO**  
**AUTOMATIC &**  
**REMOTE CONTROL**  
**PARKING LOCKS**



[www.ryxosafety.com](http://www.ryxosafety.com)



Owned By  
Clearway Safety & General Trading  
Abudhabi - UAE  
+971 561080825



## Contents

### **Battery Operated Parking Locks**

**Pages 3-5**

RECHARGEABLE BATTERY OPERATED PARKING LOCKS..... Page 3

USB RECHARGEABLE BATTERY OPERATED PARKING LOCK WITH PVC SIGN BOARD Page 4

### **Solar & Battery Operated Parking Locks**

SOLAR & RECHARGEABLE BATTERY OPERATED PARKING LOCKS..... Page 5



# Automatic Remote Control Parking Locks



## PARKING LOCK

**RYXO SAFETY** parking protection products will help you control your parking access so you never have to worry about having unauthorized cars parked on your property.


- Banking Sector
- Gym and Fitness Studios
- Automotive Industry
- Car Rental and Taxi Companies
- Condominiums and Buildings
- Cities and Municipalities
- Leisure and Hospitality Sector
- EV Charging Stations

- Corporate Parking
- Educational Institutions
- Event Parking
- Airports
- Marinas
- Retail Industry
- Hospitals and Polyclinics

We are versatile and adaptable, catering to a wide range of industries, from private projects to large retail, commercial, and municipal parking facilities

## PARKING LOCK INSTALLATION DRAWING

5M



It is recommended to install it 1.2m away from the entrance





# Automatic Remote Control Parking Locks



WhatsApp

## RECHARGEABLE BATTERY OPERATED PARKING LOCKS



CODE

#11058

**COMPONENTS : 1\*Parking Lock | 3\*Expansion Screws | 2\*Keys | 2\*Remotes | 1\*Charger | 1\*Battery | 1\*User Manual**

<b>RATED VOLTAGE</b>	<b>: DC6V</b>
<b>QUIESCENT CURRENT</b>	<b>: ≤1mA</b>
<b>OPERATING CURRENT</b>	<b>: ≤0.8A</b>
<b>UP AND DOWN DURATION</b>	<b>: ≤3S</b>
<b>RISING HEIGHT</b>	<b>: 400mm</b>
<b>DOWN HEIGHT</b>	<b>: 75mm</b>
<b>EFFECTIVE DISTANCE</b>	<b>: ≤50m</b>
<b>TEMPERATURE</b>	<b>: -10°C+55°C</b>
<b>SIZE</b>	<b>: 440*400*70mm</b>
<b>STATIC POWER SUPPLY</b>	<b>: 2.4mW</b>
<b>FREQUENCY</b>	<b>: 433.92mhz</b>
<b>BANDWIDTH</b>	<b>: 10khz</b>
<b>MODULATION</b>	<b>: OOK</b>
<b>TRANSMISSION OUTPUT POWER</b>	<b>: 10mw</b>
<b>VOLTAGE</b>	<b>: AC 110V-240V</b>
<b>MATERIAL</b>	<b>: A3 steel</b>
<b>WEIGHT</b>	<b>: 5.8Kg</b>

Function and feature

- 1. Pressure Resistant** : Maximum Pressure is 2000KG
- 2. Auto Lock** : The condition fails to change permanently except the possessor
- 3. Manual Operation** : Please lift or down the arm manually to alternate the battery or charge.
- 4. Enclosure** : IP grade 65 to prevent the dust even washing by water.
- 5. Emergence Power-off** : Auto-poweroff would be provided under external forces in course of operation to protect the motor.
- 6. Lack of electricity prompt** : Users would be reminded to charge, by glitters and bizzling in case the energy were too weak to work.
- 7. Restoration to former** : Were the Lock disordered by external forces in operation, the conductor would be alarmed to manage and the Lock be in former condition in 3 seconds.
- 8. The controller to the Lock** : Reset the input to the battery, and keep 2 second pressure on the controller key until glittering implies the completion.
- 10. Theft-resistant** : The affixation holes are below the outer cover which is uniquely run by the user. Note: Please do not remain the Lock in condition of permanent alarming.



# Automatic Remote Control Parking Locks



WhatsApp

## USB RECHARGEABLE BATTERY OPERATED PARKING LOCK WITH PVC SIGN BOARD



### PVC SIGN BOARD



**CODE** 15197

**COMPONENTS : 1\*Parking Lock | 4\*Expansion Screws | 2\*Keys | 2 Remotes | 1\*Charger | 1\*Battery | 1\*Allen Key**

<b>RATED VOLTAGE</b>	: DC6V
<b>QUIESCENT CURRENT</b>	: ≤1mA
<b>OPERATING CURRENT</b>	: ≤0.8A
<b>UP AND DOWN DURATION</b>	: ≤3S
<b>RISING HEIGHT</b>	: 510mm
<b>DOWN HEIGHT</b>	: 70mm
<b>EFFECTIVE DISTANCE</b>	: ≤50m
<b>TEMPERATURE</b>	: -30°C~70°C
<b>SIZE</b>	: 510*220*65mm
<b>PROTECTION GRADE</b>	: IP67
<b>FREQUENCY</b>	: 433.92mhz
<b>BANDWIDTH</b>	: 10khz
<b>MODULATION</b>	: OOK
<b>TRANSMISSION OUTPUT POWER</b>	: 10mw
<b>VOLTAGE</b>	: AC 110V-240V
<b>MATERIAL</b>	: A3 steel
<b>WEIGHT</b>	: 2.2Kg

Function and features

**Easy to Use** : Touch the remote to lower the parking lock to lay flat; touch the remote, and parking lock will automatically rise up to prevent anyone else from using your parking space.

**Easy to Install** : Fix parking lock onto the ground by expansion bolts

**Rechargeable Battery with Long Continuous Use** : Powered by a rechargeable battery. After being recharged, it will last for about 1000 uses. Your parking lock comes with a recharging power pack.

**Heavy Duty and Durable** : The housing adopts high quality steel rolling which can bear Max. 5 ton weight. With spray plastic coating with waterproof, rustproof and dustproof enough to last about 5 years in hard weather. The sway arm made of steel rolling won't deform even if it is crushed by a vehicle. IP68 protection grade

**Burgla-proof for safety** : The expansion bolts are placed inside the housing of parking lock, can't be removed without a key of the housing.

**Auto-reposition** : In case a vehicle hit the parking lock from its front side, the sway arm will be forced to close down with alarm sound, and once the vehicle left the sway arm will automatically raise up till vertical. With the remote, you can even hold position of sway arm when it was hit by a vehicle

**Manual control**: in case of no power In case the power is off, just manually control the parking lock in emergency..





# Automatic Remote Control Parking Locks



WhatsApp

## RYXO

Explore!

.....The Safety Brand.....

## SOLAR & RECHARGEABLE BATTERY OPERATED PARKING LOCKS



CODE

11059

**COMPONENTS : 1\*Parking Lock | 3\*Expansion Screws | 2\*Keys | 2\*Remotes | 1\*Charger | 1\*Battery | 1\*User Manual**

<b>RATED VOLTAGE</b>	<b>: DC6V</b>
<b>QUIESCENT CURRENT</b>	<b>: ≤1mA</b>
<b>OPERATING CURRENT</b>	<b>: ≤0.8A</b>
<b>UP AND DOWN DURATION</b>	<b>: ≤3S</b>
<b>RISING HEIGHT</b>	<b>: 400mm</b>
<b>DOWN HEIGHT</b>	<b>: 75mm</b>
<b>EFFECTIVE DISTANCE</b>	<b>: ≤50m</b>
<b>TEMPERATURE</b>	<b>: -10°C+55°C</b>
<b>SIZE</b>	<b>: 440*400*70mm</b>
<b>STATIC POWER SUPPLY</b>	<b>: 2.4mW</b>
<b>FREQUENCY</b>	<b>: 433.92mhz</b>
<b>BANDWIDTH</b>	<b>: 10khz</b>
<b>MODULATION</b>	<b>: OOK</b>
<b>TRANSMISSION OUTPUT POWER</b>	<b>: 10mw</b>
<b>VOLTAGE</b>	<b>: AC 110V-240V</b>
<b>MATERIAL</b>	<b>: A3 steel</b>
<b>WEIGHT</b>	<b>: 5.8Kg</b>

Function and feature

**Automatic Remote Control:** Operated by a remote control, allow you to easily raise and lower the latch with the push of a button. This eliminates the need for manual effort and ensures quick access to your parking spot.

**Dual Charging Options:** It is equipped with power cable and solar panel charging options. The power cable ensures reliable charging when connect to a power source, while the solar panel provides an eco-friendly and maintenance-free charging alternative by harnessing sunlight.

**Robust Construction:** Made from high-quality materials, It is durable and resistant to harsh weather conditions. Designed to withstand impacts and pressure, ensuring long-lasting performance and protection for parking space.

**Anti-Theft Design:** A sturdy and secure mechanism prevents unauthorized vehicles from your parking spot.

**Waterproof and Dustproof:** It is built to be waterproof and dustproof, ensuring reliable operation in various environmental conditions. This makes it suitable for both indoor and outdoor use.

**Easy Installation:** Easy to install and comes with all necessary hardware and instructions. Can be securely mounted on various surfaces

**Low Maintenance:** With its dual charging options and durable design, the parking lock requires minimal maintenance.

