

# RYXO MANUAL PARKING LOCKS

www.ryxosafety.com







# **Contents**

<b>WIDE U-SHAPE PA</b>	RKING LOCKS				. Page 3
T - SHAPE PARKIN	IG LOCKS			ور فر	Page 4
M - SHAPE PARKIN	NG LOCKS				Page 5
SPRING BASE PAR	RKING LOCKS				Page 6
PARKING LOCKS V	WITH SIGN BOARD			Z	Page 7
	with Sign Boardk  With Padlock	Designs	*	STO ST	Page 7
Parking Loc		Designs	\$ \$ \$ \$ \$		Page 7
Parking Loc U - SHAPE PADLO	k With Padlock				\$ <b>\$</b>







#### **PARKING LOCK**

RYXO SAFETY parking protection products will help you controlyour parking access so you never have to worry about having unauthorized cars parked on your property.

**Banking Sector** 

**Gym and Fitness Studios** 

**Automotive Industry** 

**Car Rental and Taxi Companies** 

**Condominiums and Buildings** 

Cities and Municipalities

**Leisure and Hospitality Sector** 

**EV Charging Stations** 

**Corporate Parking** 

**Educational Institutions** 

**Event Parking** 

**Airports** 

**Marinas** 

**Retail Industry** 

**Hospitals and Polyclinics** 

We are versatile and adaptable, catering to a wide range of industries, from private projects to large retail, commercial, and municipal parking facilities

# PARKING LOCK INSTALLATION DRAWING 5M



It is recommended to install it 1.2m away from the entrance







# WIDE U-SHAPE PARKING LOCKS





55 cm

MATERIAL : Cold Rolled Steel

COLOUR : Red With Yellow Reflective
LOCK : Automatic Locked By Pulling Up

**COMPONENTS:** 8 Expansion Screws & 3 Keys

THICKNESS : 2 mm WEIGHT : 3.75Kg

**INSTALLATION:** 1.Mark the punch position

2.Drilling with an electric drill

3. Tighten the screws













# T - SHAPE PARKING LOCKS





MATERIAL : Cold Rolled Steel

COLOUR : Red With Yellow Reflective LOCK : Locked By Pulling Up

**COMPONENTS:** 4 Expansion Screws & 3 Keys

THICKNESS : 2 mm WEIGHT : 3.20Kg

**INSTALLATION:** 1.Mark the punch position

2.Drilling with an electric drill

3. Tighten the screws 4. Installation is complete













# M - SHAPE PARKING LOCKS





46 cm



MATERIAL : Cold Rolled Steel

COLOUR : Orange

LOCK : Locked By Pulling Up

**COMPONENTS:** 4 Expansion Screws & 3 Keys

THICKNESS : 2 mm WEIGHT : 4.00Kg

**INSTALLATION:** 1.Mark the punch position

2.Drilling with an electric drill

3. Tighten the screws









### **SPRING BASE PARKING LOCKS**



: Galvanized Steel

**COLOUR** : Bright Yellow + Red / Black

LOCK : Locked By Pulling Up

**COMPONENTS**: 3 Expansion Screws & 3 Keys

THICKNESS: 2mm WEIGHT: 3.00Kg

**INSTALLATION:** 1.Mark the punch position

2.Drilling with an electric drill

3. Tighten the screws













# PARKING LOCKS WITH SIGN BOARD





MATERIAL : Galvanized Steel
COLOUR : Bright Yellow + Red
LOCK : Locked By Pulling Up

**COMPONENTS:** 4 Expansion Screws & 3 Keys

THICKNESS: 2mm WEIGHT: 3.10Kg

**INSTALLATION:** 1.Mark the punch position

2.Drilling with an electric drill

3. Tighten the screws 4. Installation is complete














# **U - SHAPE PADLOCK PARKING LOCKS**







LOCK : Locked By Padlock
COMPONENTS: 3 Screws With Cover

THICKNESS : 2mm WEIGHT : 4.5Kg


INSTALLATION: 1.Mark the punch position

2.Drilling with an electric drill

3. Tighten the screws
4. Installation is complete














# TRIANGULAR PADLOCK PARKING LOCKS





MATERIAL : Sturdy Iron
COLOUR : Bright Yellow

LOCK : Locked By Padlock COMPONENTS: 3 Expansion Screws

THICKNESS : 2mm

WEIGHT :

**INSTALLATION:** 1.Mark the punch position

2.Drilling with an electric drill

3. Tighten the screws







